

# Product Sheet

## E-SERIES PRO XS SANDER 150 mm



## E-SERIES PRO XS SANDER 150 mm

State of the art Random Orbital Sander

The PRO XS sander is the very latest in brushless motor technology

The ergonomic design, unique balance and low vibration operation combines to maximise sanding performance



Brushless motor 400W



Pad Brake



Mechanical speed dial



# Product Sheet

## E-SERIES PRO XS SANDER 150 mm

### Features and Benefits

Ergonomic design	»	Ensures comfortable handling and ease of use
Innovative technology	»	Low heat generation
Brushless motor 400W	»	High power and low maintenance
Pad Brake	»	Safeguards operator and workpiece
Low vibration	»	Optimal balance and user comfort
Low noise	»	Safer working environment
Mechanical speed dial	»	Sustained and controllable speed
Outstanding extraction capability	»	Compatible with INDASA's Abrasives System

### Substrates

Old paint

Fillers

Primers

Top Coats

Clear Coats

Fibre Glass

Gel Coat

### Applications

Grinding

Heavy Duty Sanding

Sanding / Preparation

Fine Sanding

Sanding for Blending

Sanding



# Product Sheet

## E-SERIES PRO XS SANDER 150 mm

### Suited for



Automotive Refinishing



Decorative



Composite Industries



Industry & Manufacturing



Wood & Furniture

---

Type

PROX

# Technical Specifications

SpindleThread	M8	M8
ExtractionSystem	Central Vacuum	Central Vacuum
PadSize	150 mm / 6 in	150 mm / 6 in
Orbit	5.0 mm	3.0 mm
Max Free Speed	4000 - 10000 rpm	4000 - 10000 rpm
Weight	1,4 kg	1,4 kg
Dimensions HxWxD	125x230x150	125x230x150
Voltage	220 - 240 V	220 - 240 V
Frequency	50 Hz	50 Hz
Power Output	400 W	400 W
Speed Control	Mechanical speed dial	Mechanical speed dial
Hose Connector	27 mm	27 mm
Package Qty.	1	1
Orbit Rate, no load	8000 - 20000 opm	8000 - 20000 opm
Cable length	4 m	4 m